

## PD 125/3

## MPD 125/3

$n_1$	i	$n_2$	$M_2$	$kW_1$	$HP_1$	RD
26.47	106	1890	22.8	30.9	0.92	
30.32	92	1395	14.7	19.9	0.92	
34.08	82	1800	16.8	22.9	0.92	
38.46	73	1656	13.7	18.7	0.92	
41.49	67	1620	12.4	16.9	0.92	
47.25	59	1395	9.4	12.8	0.92	
53.11	53	1818	10.9	14.8	0.92	
59.60	47	1890	10.1	13.7	0.92	
64.66	43	1638	8.1	11.0	0.92	
73.22	38	1395	6.1	8.3	0.92	
93.42	30	1665	5.7	7.7	0.92	
105.79	26	1395	4.2	5.7	0.92	


$n_1$	i	$n_2$	$M_2$	$kW_1$	$HP_1$	RD	sf	PAM
26.47	106	914	11	15	0.92	2.07	38/300	
30.32	92	1047	11	15	0.92	1.33	38/300	
34.08	82	1176	11	15	0.92	1.53	38/300	
38.46	73	664	5.5	7.5	0.92	2.49	19/200	
41.49	67	1432	11	15	0.92	1.13	38/300	
47.25	59	815	5.5	7.5	0.92	1.71	28/250	
53.11	53	917	5.5	7.5	0.92	1.98	28/250	
59.60	47	1029	5.5	7.5	0.92	1.84	19/200	
64.66	43	1116	5.5	7.5	0.92	1.47	28/250	
73.22	38	1264	5.5	7.5	0.92	1.10	28/250	
93.42	30	1612	5.5	7.5	0.92	1.03	19/200	
105.79	26	1328	4.0	7.5	0.92	1.05	19/200	

26.47	53	2100	12.6	17.2	0.92	
30.32	46	1550	8.1	11.1	0.92	
34.08	41	2000	9.4	12.7	0.92	
38.46	36	1840	7.6	10.4	0.92	
41.49	34	1800	6.9	9.4	0.92	
47.25	30	1550	5.2	7.1	0.92	
53.11	26	2020	6.1	8.2	0.92	
59.60	23	2100	5.6	7.6	0.92	
64.66	22	1820	4.5	6.1	0.92	
73.22	19	1550	3.4	4.6	0.92	
93.42	15	1850	3.2	4.3	0.92	
105.79	13	1550	2.3	3.2	0.92	


26.47	53	1827	11	15	0.92	1.15	38/300
30.32	46	1751	9.2	12.5	0.92	0.89	38/300
34.08	41	1968	9.2	12.5	0.92	1.02	38/300
38.46	36	965	4.0	5.5	0.92	1.91	19/200
41.49	34	1432	5.5	7.48	0.92	1.26	38/300
47.25	30	1188	4.0	5.5	0.92	1.31	28/250
53.11	26	1333	4.0	5.5	0.92	1.52	28/250
59.60	23	1496	4.0	5.5	0.92	1.40	19/200
64.66	22	1623	4.0	5.5	0.92	1.12	28/250
73.22	19	1379	3.0	4.0	0.92	1.12	28/250
93.42	15	1759	3.0	4.0	0.92	1.05	19/200
105.79	13	1461	2.2	3.0	0.92	1.06	19/200

26.47	34	2310	8.9	12.2	0.92	
30.32	30	1705	5.8	7.8	0.92	
34.08	26	2200	6.6	9.0	0.92	
38.46	23	2024	5.4	7.3	0.92	
41.49	22	1980	4.9	6.6	0.92	
47.25	19	1705	3.7	5.0	0.92	
53.11	17	2222	4.3	5.8	0.92	
59.60	15	2310	4.0	5.4	0.92	
64.66	14	2002	3.2	4.3	0.92	
73.22	12	1705	2.4	3.2	0.92	
93.42	10	2035	2.2	3.0	0.92	
105.79	9	1705	1.7	2.2	0.92	

26.47	34	1421	5.5	7.5	0.92	1.63	38/300
30.32	30	1628	5.5	7.5	0.92	1.05	38/300
34.08	26	1830	5.5	7.5	0.92	1.20	38/300
38.46	23	826	2.2	3.0	0.92	2.45	19/200
41.49	22	1620	4.0	5.5	0.92	1.22	38/300
47.25	19	1015	2.2	3	0.92	1.68	28/250
53.11	17	1141	2.2	3	0.92	1.95	28/250
59.60	15	1280	2.2	3	0.92	1.80	19/200
64.66	14	1389	2.2	3	0.92	1.44	28/250
73.22	12	1573	2.2	3	0.92	1.08	28/250
93.42	10	2006	2.2	3	0.92	1.01	19/200
105.79	9	1549	1.5	2	0.92	1.10	19/200



PD 125/3



MPD 125/3

P<sub>5\*</sub>: Vedere i PAM per ogni singola versione  
P<sub>5\*</sub>: See PAM size for each single version  
P<sub>5\*</sub>: Siehe PAM Größe für jede Ausführung

P<sub>5\*</sub>: Voir les PAM pour chaque version simple  
P<sub>5\*</sub>: Consulte los PAM de cada versión por separado  
P<sub>5\*</sub>: Ver os PAM para cada versão